



6kv capacitor specifications

Buy KEMET R75 Polypropylene Capacitor PP, 1.6kV dc, 5%, 100nF, Through Hole R75TR310050H4J or other Film Capacitors online from RS for next day delivery on your order plus great service and a great price from the largest electronics components

CLS-R-3.6KV-M50A LINK Fuse Link CLS for capacitors from MITSUBISHI. MISUMI has more than 9 millions products of Wiring Components, Electrical Components and Control Parts. No Shipping charge with short lead times. Available to order online 24 hr.

correction CAPACITOR BANK specifications. General. Scope. The contractor shall furnish and install metal enclosed capacitor equipment as specified herein and as shown on the contract drawings. This specification contains the minimum requirements for the design, manufacture and testing of metal enclosed capacitor bank rated [2.4KV] [3.3KV] [4.16KV] [4.8KV] [6.6KV] ...

Safety Capacitors, KGK and KGH Series General Specifications GENERAL DESCRIPTION Safety Certified Capacitors are designed for surge or lightning immunity in modem facsimile and other equipment. The capacitors of KGK are class X1/Y2 compliant, and the capacitors of KGH are class X2 compliant, respectively. The green type capacitors in KGK/KGH are ...

HVC Capacitor Manufacturing Co., Ltd. High Voltage Ceramic Capacitors - 2200pf 6000V Y5T HVC-6KV-D14-F9.5-222K

capacitor 22j 6kv; capacitor 331k 1kv; capacitor 221k 1kv; capacitor 12 5 uf 400v; capacitor ceramico 22j 6kv; Eletrônicos, Áudio e Vídeo. Componentes Eletrônicos. Passivos. Capacitores Eletrolíticos. Capacitor 6kv. 472 resultados. Ir para resultados. Filtros. economiza frete Em carrinhos de compras. Frete grátis. Tipo de envio (1) Custo do frete. Frete grátis (198) ...

GE's high voltage capacitor portfolio includes internally fused, externally fused and fuseless capacitors available in ratings of 25 to 1,100 kVAR for single-phase units, and 300 to 400 kVAR for three-phase units at 2.4 kV to 25 kV. The units can be designed to meet IEC 60871, IEEE 18 and CSA C22.2 standards.

FEATURES. Ceramic singlelayer DC disc / AC disc capacitor. High reliability. High capacitance values up to 2 nF. Small sizes. Low losses. Radial leads. Material categorization: for definitions ...

Voltage(DC) 6kV. Capacitance Tolerance ± 20%. Dielectric Characteristic Z5U. Lead Spacing 9.53mm. Capacitor Terminals Radial Ledged. Product Range 564R Series. Operating Temperature Min 10°C. Operating Temperature Max 85°C. SVHC No SVHC (23-Jan-2024) Product Overview. The 564R60GAD22 is a radial leaded lower voltage ceramic single-layer ...

EXXELA TEMEX reserves the right to modify herein specifications and information at any time when



6kv capacitor specifications

necessary to provide optimum performance and cost HIGH VOLTAGE MULTILAYER CERAMIC CAPACITORS III. Capacitance Ranges S Termination Radial Leaded version Avail. Case size Rated Voltage NPO Dielectric X7R Dielectric R15 = 0805 1000V 150pF to 1.0nF

A capacitor is a passive electronic device that stores electric charge. Ceramic capacitors consist of two or more alternating layers of ceramic material as the dielectric and metal layers acting as the non-polarized electrodes. Applications include automotive, bypass, decoupling, filtering, RF, and ESD protection.

V-LMT 6.6kV Indoor Fused Contactor Technical data V-LMT Vacuum Contactor The V-LMT contactor consists of a vacuum contactor mounted on a carriage with high voltage striker-pin fuses. This contactor is highly suitable for use in mining, industrial and utility applications where frequent switching of large motors and capacitor banks is required.

PG 6-401, Capacitor Tester, 6kV. PG 6-401, Capacitor Tester, 6kV . The High-Voltage Pulse Generator Type PG 6-401 is designed for dielectric testing of X- and Y-capacitors with standard impulse voltages 1.6/47 μ s up to 6 kV acc. to IEC 384-14, etc. The generator has the same principle of operation as the IPG 809 but allows testing capacitance values of 33 nF - 470 nF. ...

CAPACITORS (1/6) leaddisc_commercial_cc45_en.fm Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading. 20210729 Disc type capacitors with leads High voltage ceramic ...

This catalog has only typical specifications because there is no space for detailed specifications. Therefore, please approve our product specifications or transact the ...

Buy Vishay Single Layer Ceramic Capacitor (SLCC) 1nF 6kV dc \pm 20% Z5U Dielectric, 564R, Through Hole +105 $^{\circ}$ C Max Op. Temp. 564R60GAD10 or other Single Layer Ceramic Capacitors online from RS for next day delivery on your order plus great service and a great price from the largest electronics components

High Voltage Ceramic Capacitor Specifications; Operating Condition Range -25 $^{\circ}$ C to +85 $^{\circ}$ C; Rated Working Voltage: 1KV - 15KV DC; Capacitance Range: 100pF - 10,000pF; Test Voltage: UR \leq 500V, U=2.5UR; UR \geq 500V \leq 6KV, U=1.5UR+500V; UR \geq 6KV \leq 15KV, U=1.5UR; Insulation Resistance: YL/SL/NPO: \geq 10GO Y5R/Y5P/Y5U/Y5V/Y5T: CR \leq 25nF, \geq 4000MO, ...

Capacitor Bank Purchasing Specifications Guidance . Disclaimer . The Standards or guidelines presented in a NEMA standards publication are considered technically sound at the time they are approved for publication. They are not a substitute for a product seller's or user's own judgment with respect to the particular product referenced in the Standard or guideline, ...



6kv capacitor specifications

When the capacitor is used in a high frequency current, pulse current or similar current, it may self-generate heat due to dielectric loss. The applied voltage load should be such that the capacitor's self generated heat is within 10°C at an atmosphere temperature of 25°C. Notice (Rating) Capacitance change of capacitor 1. Class 1 capacitors

Buy RS PRO Single Layer Ceramic Capacitor (SLCC) 100pF 6kV dc ±10% Y5P Dielectric, Through Hole +85°C Max Op. Temp. . Browse our latest Single Layer Ceramic Capacitors offers. Free Next Day Delivery available.

4.7pF 6KV 5KVA High Voltage Doorknob Capacitor The offered capacitor is designed for high power, and high frequency transmitting devices, antenna tuners, etc. Capacitor is new, made for the Russian army. Some of the capacitors have been removed from new reserve transmitters! Link to other HV capacitors --- Click Here . Specifications: Manufacture ----- Military ...

102a-6kv-pos Sales Region Worldwide (except Japan)

The capacitor switch shall be self-powered from the 11KV line, i.e., no AC or DC control supply shall be required to be provided by the Utility for its operation. The source of control supply (auxiliary transformer, etc.) should work satisfactorily with voltage fluctuations on the 11KV line from (+) 10% to (-) 20%. 6.0 DESIGN AND CONSTRUCTION REQUIREMENTS: 1. The ...

When the capacitor is used in a high frequency current, pulse current or similar current, it may self-generate heat due to dielectric loss. The applied voltage load should be such that the capacitor's self generated heat is within 10°C at an atmosphere temperature of 25°C. Notice (Rating) Capacitance change of capacitor. 1. Class 1 capacitors

Vishay Single Layer Ceramic Capacitor (SLCC) 4.7nF 6kV dc ±20% Z5U Dielectric, 564R, Through Hole +105°C Max Op. Temp. RS Stock No.: 8313250. Mfr. Prt No.: 564R60GAD47. Brand: Vishay. Technical Reference . Datasheet; Legislation and Compliance. RoHS Certificate of Compliance RS Components. RoHS Certificate of Compliance. EU Directives 2011/65/EU and ...

Order today, ships today. 564R60GAD22 - 2200 pF ±20% 6000V (6kV) Ceramic Capacitor Z5U Radial, Disc from Vishay Cera-Mite. Pricing and Availability on millions of electronic components from Digi-Key Electronics.

SPECIFICATIONS DISC CERAMIC CAPACITORS PRO-CAP ELECTRONICS CCD Series. PRO-CAP ELECTRONICS DESCRIPTION FOR THE ABOVE PART # GB 102 K 5 F 12 Ceramic Disc Capacitor: 1000 Volts / Z5F / 1000 pF / K = ±10% Tolerance/Lead Spacing 5.0 mm / Lead Style Figure F on page 40 (Custom Spec.)/Lead Length 12 mm HOW TO ORDER DISC ...

FEATURES. Use for coupling, and by-pass circuit there are a stable and high reliability products.



6kv capacitor specifications

SPECIFICATIONS. Operating Condition Range . Rated Working Voltage. Capacitance Range ...

VC-6Z44ED 6,6kV 110V, MT contactor. Code: R809210010000. Max. Current (A): 3 x 400; Power supply (Vac): 110 Vdc ; Max. voltage: 6,6 kVca; Information; Specifications; Dimensions; Connections; Videos; Downloads; Accessories; Support; INFORMATION. Description. The LVC contactor is a vacuum contactor prepared to control inductive and capacitive loads. ...

VC-6Z44ED 6,6kV 220V, MV contactor. Code: R80921. Max. Current (A): 3 x 400; Power supply (Vac): 220 Vac; Max. voltage: 6,6 kVca ; Information; Specifications; Dimensions; Connections; Videos; Downloads; Accessories; Support; INFORMATION. Description. The LVC contactor is a vacuum contactor prepared to control inductive and capacitive loads. Applications. The LVC ...

Buy Ceramic capacitor, 4.7nF, 6kV, ±20%, THT SR PASSIVES for EUR 0.61 through Vikiwat online store. Fast shipping on all Ceramic Disc Capacitors orders within Europe. Delivery to office BGN 3.99. / Free delivery with Speedy within Bulgaria for online orders over BGN 150 Incl. VAT / up to 30 kg. EN. EN; BG; Products For free shipping, see how Delivery to office BGN 3.99. / Free ...

High Voltage Ceramic Capacitor - JYC FEATURES Use for coupling, and by -pass circuit there are a stable and high reliability products . SPECIFICATIONS Operating Condition Range -25?~ +85? Rated Working Voltage 1 KV - 15 KVDC Capacitance Range 100pF - 10,000pF Test Voltage $U_R \leq 500V$, $U = 2.5U_R$ RU >500V <=6KV, $U = 1.5U_R + 500V$

The rated voltage of 6kV series have been added the rated voltage of 3kV series. These products shall conform to RoHS Directive due to lead(Pb) free of lead wire and internal solder material. ...

Frete grátis no dia Compre Capacitor Ceramico 22j X 6kv parcelado sem juros! Saiba mais sobre nossas incríveis ofertas e promoções em milhões de produtos.

Type: CC45 [SL characteristics, Edc: 1kV to 6kV] Disc Type Capacitors with Lead High Voltage Ceramic Capacitors CC45 series Commercial Grade, Low dissipation at high frequency (2/9) 20190528 / leaddisc_commercial_cc45_en.fm CAPACITORS REMINDERS FOR USING THESE PRODUCTS Before using these products, be sure to request the delivery specifications. ...

Web: <https://alaninvest.pl>

WhatsApp: <https://wa.me/8613816583346>